

California Regional Water Quality Control Board

Los Angeles Region

Recipient of the 2001 Environmental Leadership Award from Keep California Beautiful

Arnold Schwarzenegger

320 W. 4th Street, Suite 200, Los Angeles, California 90013
Phone (213) 576-6600 FAX (213) 576-6640 - Internet Address: http://www.waterboards.ca.gov/losangeles

Marsha Naify 245/249 Bay Shore Ave Long Beach, CA 90803

WATER QUALITY CERTIFICATION FOR PROPOSED NAIFY BOAT DOCK PILE PROJECT (Corps' Project No. 2010-00338-CO), ALAMITOS BAY, CITY OF LONG BEACH, LOS ANGELES COUNTY (File No. 10-103)

Dear Ms. Naify:

Board staff has reviewed the request on behalf of Marsha Naify (Applicant) for a Clean Water Act Section 401 Water Quality Certification for the above-referenced project. Your application was deemed complete on October 14, 2010.

I hereby issue an order certifying that any discharge from the referenced project will comply with the applicable provisions of sections 301 (Effluent Limitations), 302 (Water Quality Related Effluent Limitations), 303 (Water Quality Standards and Implementation Plans), 306 (National Standards of Performance), and 307 (Toxic and Pretreatment Effluent Standards) of the Clean Water Act, and with other applicable requirements of State law. This discharge is also regulated under State Water Resources Control Board Order No. 2003 - 0017 - DWQ, "General Waste Discharge Requirements for Dredge and Fill Discharges that have received State Water Quality Certification" which requires compliance with all conditions of this Water Quality Certification.

The Applicant shall be liable civilly for any violations of this Certification in accordance with the California Water Code. This Certification does not eliminate the Applicant's responsibility to comply with any other applicable laws, requirements and/or permits.

Should you have questions concerning this Certification action, please contact Dana Cole, Section 401 Program, at (213) 576-6759.

Samuel Unger

Executive Officer

Next 2, 2010

Date

DISTRIBUTION LIST

Marsha Naify 245/249 Bay Shore Ave Long Beach, CA 90803

Bill Orme (via electronic copy)
State Water Resources Control Board
Division of Water Quality
P.O. Box 944213
Sacramento, CA 94244-2130

Cherry Oo U.S. Army Corps of Engineers Regulatory Branch, Los Angeles District P.O. Box 532711 Los Angeles, CA 90053-2325

Eric Raffini (via electronic copy)
U.S. Environmental Protection Agency, Region 9
75 Hawthorne Street
San Francisco, CA 94105

Jim Bartel U.S. Fish and Wildlife Service 6010 Hidden Valley Road Carlsbad, CA 92009

Project Information File No. 10-103

1. Applicant:

Marsha Naify

245/249 Bay Shore Ave Long Beach, CA 90803

Phone: (949) 631-3121

Fax: (949) 631-3122

2. Applicant's Agent:

Brady Helm Swift Slip

2027 Placentia Ave Costa Mesa, CA 92627

Phone: (949) 631-3121

Fax: (949) 631-3122

3. Project Name:

Naify Boat Dock Pile

4. Project Location:

Long Beach, Los Angeles County

<u>Latitude</u> <u>Longitude</u>
33.7607 118.1284

5. Project Purpose:

To replace old pile with new pile in the same location as existing

6. Project Description:

The proposed project is to replace two private residential boat docks in Alamitos Bay at Belmont Shore in Long Beach.

The two old and damaged docks and supporting concrete piles will be replaced with new docks and supporting piles. The first dock is located at 245 Bay Shore Avenue, is 384 sq ft, and is supported by 3 piles. The second dock is at 249 Bay Shore Avenue, is 522 sq ft, and is supported by 4 piles.

The new docks and piles will be installed with the following steps:

- 1. The floating structures (docks) will be removed and placed on a launch ramp for removal to the recycling center;
- 2. The concrete pilings will be pulled using a self-propelled barge

Project Information File No. 10-103

base crane;

- 3. New concrete pilings will be installed using the "dry drive" option of penetrating the bottom. The pilings will be installed in exactly the same locations as the old piles to minimize bottom disturbance. Curtains will be used to limit the turbidity;
- 4. New wood structures (docks) will be placed. No anchors or equipment will be used to transport or install new wood structures;
- 5. Installation of docks will be completed using hand tools.

Since the seven new piles will be placed in the holes left by the seven piles being replaced, and since the new docks are the same size and in the same location as the existing docks, the impacts to the habitat are temporary.

An underwater survey conducted on April 1, 2010 documented eelgrass (*Zostera marina*) growing in the vicinity of the proposed project. *Caulerpa taxifolia* has not been observed in the area. Because some disturbance of the bottom may occur during the removal and installation of the piles, the applicant will monitor the eelgrass habitat in order to determine if any mitigation will be required in accordance with the requirements of the National Marine Fisheries Service's Southern California Eelgrass Mitigation Policy.

The project is anticipated to take 7-10 days.

- 7. Federal Agency/Permit:
- U.S. Army Corps of Engineers Section 10 permit (Permit No. 2010-00338-CO)
- 8. Other Required Regulatory Approvals:
- California Coastal Commission Administrative Permits 5-10-048 and 5-10-050
- 9. California
 Environmental Quality
 Act Compliance:
- The proposed project is Categorically Exempt from CEQA pursuant to the CEQA Guidelines, Section 15302 Replacement or Reconstruction.
- 10. Receiving Water:
- Receiving water from Alamitos Bay (Hydrologic Unit No. 402.10)
- 11. Designated Beneficial Uses:
- IND, NAV, REC-1, REC-2, COMM, EST, MAR, WILD, RARE, SHELL, WET

Project Information File No. 10-103

12. Impacted Waters of the United States:

Ocean/Estuary/Bay: 0.02 temporary acres

13. Dredge Volume:

None

14. Related Projects
Implemented/to be
Implemented by the
Applicant:

The Applicant has not identified any related projects carried out in the last 5 years or planned for implementation in the next 5 years.

15. Avoidance/
Minimization Activities

The Applicant has proposed to implement several Best Management Practices, including, but not limited to, the following:

There will be no discharge of wastewater; A salinity curtain will be used at all times; Parts will be built off-site and installed with hand tools; No dust will be allowed to enter the bay.

16. Proposed
Compensatory
Mitigation:

The Applicant has not proposed any compensatory mitigation.

17. Required
Compensatory
Mitigation:

The Regional Board will require the Applicant to conduct eelgrass monitoring and compensatory mitigation in compliance with the National Marine Fisheries Service's Southern California Eelgrass Mitigation Policy.

See Attachment B, Conditions of Certifications, Additional Conditions for modifications and additions to the above proposed compensatory mitigation.

Conditions of Certification File No. 10-103

STANDARD CONDITIONS

Pursuant to §3860 of Title 23 of the California Code of Regulations (23 CCR), the following three standard conditions shall apply to this project:

- 1. This Certification action is subject to modification or revocation upon administrative or judicial review, including review and amendment pursuant to §13330 of the California Water Code and Article 6 (commencing with 23 CCR §3867).
- 2. This Certification action is not intended and shall not be construed to apply to any activity involving a hydroelectric facility and requiring a Federal Energy Regulatory Commission (FERC) license or an amendment to a FERC license unless the pertinent Certification application was filed pursuant to 23 CCR Subsection 3855(b) and the application specifically identified that a FERC license or amendment to a FERC license for a hydroelectric facility was being sought.
- 3. Certification is conditioned upon total payment of any fee required pursuant to 23 CCR Chapter 28 and owed by the Applicant.

ADDITIONAL CONDITIONS

Pursuant to 23 CCR §3859(a), the Applicant shall comply with the following additional conditions:

- 1. The Applicant shall submit to this Regional Board copies of any other final permits and agreements required for this project, including, but not limited to, the U.S. Army Corps of Engineers' (ACOE) Section 404 Permit and the California Department of Fish and Game's (CDFG) Streambed Alteration Agreement. These documents shall be submitted prior to any discharge to waters of the State.
- 2. The Applicant shall adhere to the most stringent conditions indicated with either this Certification, the CDFG's Streambed Alteration Agreement, or the ACOE Section 404 Permit.
- 3. The Applicant shall comply with all water quality objectives, prohibitions, and policies set forth in the *Water Quality Control Plan, Los Angeles Region (1994)*, as amended.
- 4. The Avoidance/Minimization activities proposed by the Applicant as described in Attachment A, No. 15, are incorporated as additional conditions herein.
- 5. The Applicant shall implement all necessary control measures to prevent the degradation of water quality from the proposed project in order to maintain compliance with the 2005 Ocean Plan. The 2005 Ocean Plan sets forth limits or levels of water quality characteristics

Conditions of Certification File No. 10-103

for ocean waters to ensure the reasonable protection of beneficial uses and the prevention of nuisance. The discharge shall meet all effluent limitations and toxic and effluent standards established to comply with the applicable water quality standards and other appropriate requirements, including the provisions of Sections 301, 302, 303, 306, and 307 of the Clean Water Act. This Certification does not authorize the discharge by the applicant for any other activity than specifically described in the 404 Permit.

- 6. Ocean water quality monitoring shall be performed by the Applicant. A Water Quality Monitoring Plan shall be submitted prior to any project construction activities. Baseline sampling may be conducted at one location within the project boundary. All other sampling shall take place on both sides of silt curtains at a minimum of two locations (4 locations total). Monitoring for the following shall be included:
 - •pH
 - temperature
 - dissolved oxygen
 - turbidity
 - total suspended solids(TSS)
 - visual assessment for floating particulates (oil and grease shall not be visible)

Analyses must be performed using approved US Environmental Protection Agency methods, where applicable. These constituents shall be measured at least once prior to project commencement (baseline sampling) and then monitored on a daily basis during the first week of construction, and then on a weekly basis, thereafter, until the work is complete. Monitoring shall ensure compliance with all water quality objectives specified in the 2005 Ocean Plan.

Results of the analyses shall be submitted to this Regional Board by the 15th day of each subsequent sampling month. A map or drawing indicating the locations of sampling points shall be included with each submittal. Construction activities shall not result in the degradation of beneficial uses or non-compliance of any water quality objectives. Any such violations may result in corrective and/or enforcement actions, including increased monitoring and sample collection.

- 7. The Applicant and all contractors employed by the Applicant shall have copies of this Certification, and all other regulatory approvals for this project on site at all times.
- 8. Fueling, lubrication, maintenance, operation, and storage of vehicles and equipment shall not result in a discharge or a threatened discharge to waters of the State. At no time shall the Applicant use any vehicle or equipment which leaks any substance that may impact water quality. Staging and storage areas for vehicles and equipment shall be located outside of waters of the State.

Conditions of Certification File No. 10-103

- 9. No construction material, spoils, debris, or any other substances associated with this project that may adversely impact water quality standards, shall be located in a manner which may result in a discharge or a threatened discharge to waters of the State. Designated spoil and waste areas shall be visually marked prior to any excavation and/or construction activity, and storage of the materials shall be confined to these areas.
- 10. The discharge shall not: a) degrade surface water communities and populations including vertebrate, invertebrate, and plant species; b) promote the breeding of mosquitoes, gnats, black flies, midges, or other pests; c) alter the color, create visual contrast with the natural appearance, nor cause aesthetically undesirable discoloration of the receiving waters; d) cause formation of sludge deposits; or e) adversely affect any designated beneficial uses.
- 11. The Applicant shall allow the Regional Board and its authorized representative entry to the premises, including all mitigation sites, to inspect and undertake any activity to determine compliance with this Certification, or as otherwise authorized by the California Water Code.
- 12. The Applicant shall not conduct any construction activities within waters of the State during a rainfall event. The Applicant shall maintain a five-day (5-day) clear weather forecast before conducting any operations within waters of the State.
- 13. All project/maintenance activities not included in this Certification, and which may require a permit, must be reported to the Regional Board for appropriate permitting. Bank stabilization and grading, as well as any other ground disturbances, are subject to restoration and revegetation requirements, and may require additional Certification action.
- 14. The Applicant shall restore all areas of TEMPORARY IMPACTS to waters of the United States and all other areas of temporary disturbance, which could result in a discharge or a threatened discharge to waters of the State. Restoration shall include ensuring temporarily impacted areas are returned to pre-project existing conditions, and may include removal of any invasive/noxious species. The Applicant shall implement all necessary Best Management Practices to control erosion and runoff from areas associated with this project.
- 15. Surveys shall be performed for *Caulerpa* and eelgrass within the project area. The Applicant shall comply with the National Marine Fisheries Service's Southern California Eelgrass Mitigation Policy and the *Caulerpa* Control Protocol.
- 16. The Applicant shall submit to this Regional Board Annual Mitigation Monitoring Reports (Annual Reports) by January 1st of each year for a minimum period of five (5) years following this issuance of 401 Certification or until mitigation success has been achieved and documented. The Annual Reports shall describe in detail all of the project/construction activities performed during the previous year and all restoration and mitigation efforts; including percent survival by plant species and percent cover. The Annual Reports shall

Conditions of Certification File No. 10-103

describe the status of other agreements (e.g., mitigation banking). At a minimum the Annual Reports shall include the following documentation:

- (a) Color photo documentation of the pre- and post-project and mitigation site conditions;
- (b) Geographical Positioning System (GPS) coordinates in decimal-degrees format outlining the boundary of the project and mitigation areas;
- (c) The overall status of project including a detailed schedule of work;
- (d) Copies of all permits revised as required in Additional Condition 1;
- (e) Water quality monitoring results for each reach (as required) compiled in an easy to interpret format;
- (f) A certified Statement of "no net loss" of wetlands associated with this project;
- (g) Discussion of any monitoring activities and exotic plant control efforts; and
- (h) A certified Statement from the permittee or his/her representative that all conditions of this Certification have been met.
- 17. All applications, reports, or information submitted to the Regional Board shall be signed:
 - (a) For corporations, by a principal executive officer at least of the level of vice president or his duly authorized representative, if such representative is responsible for the overall operation of the facility from which discharge originates.
 - (b) For a partnership, by a general partner.
 - (c) For a sole proprietorship, by the proprietor.
 - (d) For a municipal, State, or other public facility, by either a principal executive officer, ranking elected official, or other duly authorized employee.
- 18. Each and any report submitted in accordance with this Certification shall contain the following completed declaration:

"I declare under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who managed the system or those directly responsible for gathering the

Conditions of Certification File No. 10-103

information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Executed on the _	day of	at	·
Na.			(0:
•	·	· · · · · · · · · · · · · · · · · · ·	(Signature) (Title)"

- 19. All communications regarding this project and submitted to this Regional Board shall identify the Project File Number 10-103. Submittals shall be sent to the attention of the 401 Certification Unit.
- 20. Any modifications of the proposed project may require submittal of a new Clean Water Act Section 401 Water Quality Certification application and appropriate filing fee.
- 21. The project shall comply with the local regulations associated with the Regional Board's Municipal Stormwater Permit issued to the City of Long Beach under NPDES No. CAS004003 and Waste Discharge Requirements Order No. 99 06 DWQ. This includes the Standard Urban Storm Water Mitigation Plan (SUSMP) and all related implementing local ordinances and regulations for the control of stormwater pollution from new development and redevelopment. The project shall also comply with all requirements of the National Pollutant Discharge Elimination System (NPDES) General Permit for storm water discharges associated with construction activity, Order No. 2009-009-DWQ. All stormwater treatment systems shall be located outside of any water of the State and shall not be used as a wetland or riparian mitigation credit.
- 22. Coverage under this Certification may be transferred to the extent the underlying federal permit may legally be transferred and further provided that the Applicant notifies the Executive Officer at least 30 days before the proposed transfer date, and the notice includes a written agreement between the existing and new Applicants containing a specific date of coverage, responsibility for compliance with this Certification, and liability between them.
- 23. The Applicant or their agents shall report any noncompliance. Any such information shall be provided verbally to the Executive Officer within 24 hours from the time the Applicant becomes aware of the circumstances. A written submission shall also be provided within five days of the time the Applicant becomes aware of the circumstances. The written submission shall contain a description of the noncompliance and its cause; the period of noncompliance, including exact dates and times, and if the noncompliance has not been corrected; the anticipated time it is expected to continue and steps taken or planned to reduce, eliminate and prevent recurrence of the noncompliance. The Executive Officer, or an authorized representative, may waive the written report on a case-by-case basis if the oral report has been received within 24 hours.

Conditions of Certification File No. 10-103

24. Enforcement:

- (a) In the event of any violation or threatened violation of the conditions of this Certification, the violation or threatened violation shall be subject to any remedies, penalties, process or sanctions as provided for under State law. For purposes of section 401(d) of the Clean Water Act, the applicability of any State law authorizing remedies, penalties, process or sanctions for the violation or threatened violation constitutes a limitation necessary to assure compliance with the water quality standards and other pertinent requirements incorporated into this Certification.
- (b) In response to a suspected violation of any condition of this Certification, the State Water Resources Control Board (SWRCB) or Regional Water Quality Control Board (RWQCB) may require the holder of any permit or license subject to this Certification to furnish, under penalty of perjury, any technical or monitoring reports the SWRCB deems appropriate, provided that the burden, including costs, of the reports shall be a reasonable relationship to the need for the reports and the benefits to be obtained from the reports.
- (c) In response to any violation of the conditions of this Certification, the SWRCB or RWQCB may add to or modify the conditions of this Certification as appropriate to ensure compliance.
- 25. This Certification shall expire **five (5) years** from date of this Certification. The Applicant shall submit a complete application prior to termination of this Certification if renewal is requested.